


Air Reservoirs - General Equipment

Air Reservoirs Amended 14.04.10

STEEL END MOUNTED RESERVOIRS


- ◆ These end mounted reservoirs are Ce-Marked and approved to EN286-2
- ◆ Temperature range -40°C/+100°C.
- ◆ Dimensions are in accordance with DIN 74 281.
- ◆ Operating pressure is 12.5 Bar.
- ◆ Finished in EPC black powder coated
- ◆ All threads being M22 x 1.5 ISO/DIN standard.
- ◆ These reservoirs are available in 4/5 and 6 port versions.
- ◆ Also non-standard versions are available upon request.

4 Port Reservoirs




Part No	9947
Litres	20
C1 - MM	705
C2 - MM	57
Dia - MM	206
L1 - MM	645
Mass Kgs	9

5 Port Reservoirs



Part No	9953	9956
Litres	38	50
C1 - MM	895	800
C2 - MM	57	57
Dia - MM	246	306
L1 - MM	835	734
Mass Kgs	11	16.5

6 Port Reservoirs



Part No	9962
Litres	60
C1 - MM	956
C2 - MM	57
Dia - MM	306
L1 - MM	873
Mass Kgs	17


Air Reservoirs - General Equipment

Air Reservoirs Amended 14.04.10

STEEL STRAP MOUNTED RESERVOIRS


- ◆ These strap mounted reservoirs are Ce-Marked and approved to EN286-2
- ◆ Temperature range -40°C/+100°C.
- ◆ Dimensions are in accordance with DIN 74 281.
- ◆ Operating pressure is 12.5 Bar.
- ◆ Finished in EPC black powder coated
- ◆ All threads being M22 x 1.5 ISO/DIN standard.
- ◆ These reservoirs are available in 4/5 and 6 port versions.
- ◆ Also non-standard versions are available upon request.

4 Port Reservoirs




Part No	9948
Litres	20
Dia - MM	206
L1 - MM	645
Mass Kgs	9

5 Port Reservoirs



Part No	9958	9957
Litres	40	50
Dia - MM	306	306
L1 - MM	585	734
Mass Kgs	12.7	15.3

6 Port Reservoirs



Part No	9963	9969
Litres	60	80
Dia - MM	306	396
L1 - MM	873	715
Mass Kgs	16.2	22.5

Mounting Straps

Part No	9975	9976	9977	9978
Dia - MM	206	246	310	396

To suit tank

9948

9957/9958/9963

9969

Phone: 01474 321954 Fax 01474 321988


Air Reservoirs - General Equipment

Air Reservoirs Amended 14.04.10

STEEL SIDE MOUNTED RESERVOIRS


- ◆ These side mounted reservoirs are Ce-Marked and approved to EN286-2
- ◆ Temperature range -40°C/+100°C.
- ◆ Dimensions are in accordance with DIN 74 281.
- ◆ Operating pressure is 12.5 Bar.
- ◆ Finished in EPC black powder coated
- ◆ All threads being M22 x 1.5 ISO/DIN standard.
- ◆ These reservoirs are available in 4/5 and 6 port versions.
- ◆ Also non-standard versions are available upon request.

4 Port Reservoirs



Part No	9940	9946	9949
Litres	10	20	30
C1-MM	200	382	380
C2-MM	120	120	170
Dia-MM	206	206	246
L1 - MM	353	657	721
Mass Kgs	5.7	9.2	18.4

6 Port Reservoirs



Part No	9961
Litres	60
C1-MM	382
C2-MM	120
Dia-MM	306
L1 - MM	890
Mass Kgs	18.8