

# INDUSTRIAL PUSH-IN - Fittings

**John Guest**

## PLASTIC - METRIC

This range of plastic push-in fittings provide a secure joint without the use of any tools making them quick and easy to fit. They can be used on nylon, plastic, calibrated copper or Bundy Tubes to carry air, water and many other liquids, except acids **but not suitable for fuel**. We recommend the use of tube supports with nylon or plastic tubing.

**We do not advise the use of plastic push-in fittings on vehicle brake lines.**

Maximum working pressure 10 bar. Minimum burst pressure 25 bar. Temp: -20 to +70°C

3



**STRAIGHT CONNECTOR**

Tube OD	Part No	Pkt Part No
4mm	2411	
5mm	2412	
6mm	2413	
8mm	2414	
10mm	2415	
12mm	2416	
15mm	2417	PIF010
18mm	2418 (5)	
22mm	2419 (5)	

**Assorted Box 2420**



**TEE CONNECTOR**

Tube OD	Part No
4mm	2451
5mm	2452
6mm	2453
8mm	2454
10mm	2455
12mm	2456
15mm	2457
18mm	2458 (2)
22mm	2459 (2)



**ELBOW CONNECTOR**

Tube OD	Part No	Pkt Part No
5mm	2472	PIF012
6mm	2473	
8mm	2474	
10mm	2475	
12mm	2476	
15mm	2477	PIF020
18mm	2478 (2)	
22mm	2479 (2)	



**STRAIGHT STUD**

Thread BSPT	Tube OD	Part No	Pkt Part No
1/8	4mm	2601	
1/8	5mm	2603	PIF032
1/8	6mm	2605	
1/8	8mm	2604	
1/4	6mm	2606	
1/4	8mm	2608	
1/4	10mm	2610	
3/8	10mm	2611	
3/8	12mm	2612	
1/2	10mm	2613	
1/2	12mm	2614	



**STEM STUD**

Thread BSPT	Tube OD	Part No	Pkt Part No
1/8	5mm	2523	
1/4	6mm	2526	PIF046
1/4	8mm	2528	
1/2	15mm	2436 (1)	
3/4	22mm	2437 (1)	
1"	28mm	2438 (1)	




**STEM ELBOW**

Tube OD	Part No
4mm	2541
6mm	2543
8mm	2544
10mm	2545
12mm	2546

Thread BSPP	Tube OD	Pkt 2 Part No
1/2	15mm	2617

Tube Gear Adaptability. Standard products can be coupled together to form integral new fittings



**Phone: 01474 321954 Fax 01474 321988**

# INDUSTRIAL PUSH-IN - Fittings

**John Guest**

## PLASTIC - METRIC

### STEM REDUCER



*Pkt 10*

Stem	Tube OD	Part No	Pkt Part No
6mm	4mm	2492	PIF130
6mm	5mm	2493	
8mm	6mm	2495	PIF132
10mm	8mm	2497	PIF134
12mm	8mm	2498	PIF136
12mm	10mm	2499	PIF138
15mm	12mm	2487 (2)	
18mm	15mm	2488 (2)	

### REDUCING STRAIGHT CONNECTOR



Tube OD *Pkt 10*

A	B	Part No	Pkt Part No
6mm	4mm	2431	PIF148
8mm	6mm	2433	
10mm	6mm	2434	PIF149
10mm	8mm	2435	PIF150
10mm	12mm	2432	

### END STOP



Tube OD	Part No
10mm	2792
12mm	2793

### PLUG



*Pkt 10*

Tube OD	Part No
4mm	2731
5mm	2732
6mm	2733
8mm	2734
10mm	2735
12mm	2736
15mm	2737

**Assorted Box 2720**

### BULKHEAD CONNECTOR



*Pkt 10*

Tube OD	Part No
6mm	2713
8mm	2714

### WATER TRAP TEE



*Single*

Tube OD	Part No
22mm	2449

### COLLET COVERS



*Pkt 10*

Tube OD	Part No
8mm	2624

**Phone: 01474 321954 Fax 01474 321988**

# INDUSTRIAL PUSH-IN - Fittings

**John Guest**


## PLASTIC - METRIC

### SWIVEL ELBOW




Thread BSPT	Tube OD	Part No(10)	Pkt Part No
1/8	4mm	2661	PIF186
1/8	5mm	2663	PIF187
1/8	6mm	2664	
1/4	6mm	2666	PIF188
1/8	8mm	2667	
1/4	8mm	2668	PIF189
1/4	10mm	2670	PIF190
3/8	10mm	2671	
3/8	12mm	2672	

### SWIVEL TEE



Thread BSPT	Tube OD	Part No (10)
1/8	4mm	2751
1/8	5mm	2753
1/4	6mm	2756
1/4	8mm	2758
1/4	10mm	2760

### Y CONNECTOR




Tube OD	Part No
8mm	2818 (Pkt 10)
10mm	2819

### STEM Y CONNECTOR



Tube OD	Part No
8mm	2808
10mm	2809

### COLLET RELEASE TOOL



Single  
Part No  
2399

**Phone: 01474 321954 Fax 01474 321988**

# INDUSTRIAL PUSH-IN - Fittings

**Norgren**

**PLASTIC - IMPERIAL**

## STRAIGHT CONNECTOR

*Single*

<b>Tube OD</b>	<b>Part No</b>	<b>Pkt No</b>
5/32	4421	PIF057
3/16	4422	PIF058
1/4	4423	PIF059
5/16	4424	PIF060
3/8	4425	PIF061
1/2	4426	PIF062



---

## TEE CONNECTOR

*Single*

<b>Tube OD</b>	<b>Part No</b>	<b>Pkt No</b>
5/32	4428	PIF071
3/16	4429	PIF072
1/4	4430	PIF073
5/16	4431	PIF074
3/8	4432	PIF075
1/2	4433	PIF076



---

## ELBOW CONNECTOR

*Single*

<b>Tube OD</b>	<b>Part No</b>	<b>Pkt No</b>
5/32	4435	PIF064
3/16	4436	PIF065
1/4	4437	PIF066
5/16	4438	PIF067
3/8	4439	PIF068
1/2	4440	PIF069



**Phone: 01474 321954 Fax 01474 321988**

# INDUSTRIAL PUSH-IN - Fittings

**John Guest**

## PLASTIC - IMPERIAL

This range of plastic push-in fittings provide a secure joint without the use of any tools making them quick and easy to fit. They can be used on nylon, plastic, calibrated copper or Bundy Tubes to carry air, water, petrol, diesel and many other liquids, except acids. We recommend the use of tube supports with nylon or plastic tubing.

**We do not advise the use of plastic push-in fittings on vehicle brake lines**

Maximum working pressure 10 bar. Minimum burst pressure 25 bar. Temp: -20 to +70°C

**3**

### STRAIGHT CONNECTOR



*Pkt 10*

Tube OD	Part No
5/32	2401
3/16	2402
1/4	2403
5/16	2404
3/8	2405
1/2	2406

Assorted Box 2400

### TEE CONNECTOR



*Pkt 10*

Tube OD	Part No
3/16	2442
1/4	2443
3/8	2445

### ELBOW CONNECTOR



*Pkt 10*

Tube OD	Part No
1/2	2466

### REDUCING STRAIGHT CONNECTOR



		<i>Pkt 10</i>	
Tube OD	Part No	Pkt No	
1/4 x 3/16	2421	PIF140	
5/16 x 3/16	2423		
5/16 x 1/4	2424	PIF142	
3/8 x 1/4	2426	PIF143	
3/8 x 5/16	2427	PIF144	
1/2 x 3/8	2428	PIF145	

### STEM REDUCER



<i>Pkt 10</i>			
Stem OD	Tube OD	Part No	Pkt No
5/16	3/16	2482	PIF120
5/16	1/4	2483	PIF122
3/8	5/16	2484	PIF124
3/8	3/16	2485	PIF126
3/8	1/4	2486	PIF127

### PLUG



Assorted Box 2700

<i>Pkt 10</i>	
Tube OD	Part No
5/32	2721
3/16	2722
1/4	2723
5/16	2724
3/8	2725
1/2	2726


**Phone: 01474 321954 Fax 01474 321988**

# INDUSTRIAL PUSH-IN - Fittings


**John Guest**

## PLASTIC - IMPERIAL

### SWIVEL ELBOW

Thread BSPT	Tube OD	<i>Pkt 10</i> Part No		Thread NPTF	Tube OD	<i>Pkt 10</i> Part No
1/8	3/16	2641				
1/8	1/4	2642				
1/4	1/4	2643				
1/4	5/16	2645				
1/2	1/2	2651		1/8	3/16	2683

### SWIVEL TEE



Thread BSPT	Tube OD	<i>Pkt 10</i> Part No
3/8	1/2	2749

### STEM STUD



Thread BSPT	Tube OD	<i>Pkt 10</i> Part No
1/8	1/4	2504

### STRAIGHT STUD



Thread BSPT	Tube OD	<i>Pkt 10</i> Part No	Pkt No
1/8	5/32	2581	
1/8	3/16	2583	
1/8	1/4	2584	PIF080
1/4	1/4	2585	PIF082
1/4	3/8	2588	PIF084
3/8	3/8	2590	PIF086

**Phone: 01474 321954 Fax 01474 321988**